WorkForce Pro WF-C5290DW



Reduce your business printing costs and environmental impact, all while increasing productivity with less intervention and enhanced security.

This small workgroup business printer is perfect for the business environment, from small offices to large corporates who may have traditionally used lasers and want to cut costs, increase productivity and reduce downtime. This is while also cutting their business' environmental impact and improving their CSR reputation.

Save money

It can help businesses save at least 50% on their colour CPP (cost per page) versus comparable laser models¹. Designed for workgroups, your business can avoid the hidden employee productivity costs associated with centralised printing. Further lower costs by changing consumables less with its innovative ink supply system.

High productivity and low intervention

Delivering the Fastest First Page Out Time (FPOT) in its segment for both colour (5.3 seconds) and mono (4.8 seconds) prints against comparable lasers². Print up to 10,000 pages in monochrome and 5,000 in colour without changing supplies with the largest ink yield in this segment³. Largest standard paper capacity of 330 sheets in this market segment⁴.

Reduce your impact

Benefit from low-power consumption without compromising on an ultra-sharp output, with at least 90% less energy used than comparable laser models⁵.

Built for business

A range of software and tools provide secure print options, and help manage devices remotely. NFC and wireless connectivity also supports printing from mobile devices. And with its smartphone inspired user interface, it's intuitive to operate.

DATASHEET / BROCHURE



KEY FEATURES

- Largest ink yield in its segment Print up to 10,000 pages without replacing the ink³
- Ecological Uses up to 90 percent less power than competitive colour lasers⁵
- Save money

Save at least 50% on colour CPP (cost per page) versus comparable laser models¹

- Save time
 - Automatic double-sided printing
- Built for business DuraBrite Ultra pigment inks



PRODUCT SPECIFICATIONS

TECHNOLOGY			
Printing Method	PrecisionCore™ Print Head		
Nozzle Configuration	800 Nozzles black, 800 Nozzles per colour		
Minimum Droplet Size	3.8 pl, With Variable-Sized Droplet Technology		
Ink Technology	DURABrite™ Ultra		
Application	Office Workgroup		
All-in-One Functions	Print		
PRINT			
First Page Out	Monochrome 5 Seconds, Colour 6 Seconds		
Printing Speed ISO/IEC 24734	4 24 pages/min Monochrome, 24 pages/min Colour		
Duplex Printing Speed ISO/IEC 24734	15 A4 pages/min Monochrome, 15 A4 pages/min Colour		
Maximum Printing Speed	34 pages/min Monochrome (plain paper), 34 pages/min Colour (plain paper)		
Printing Resolution	4,800 x 1,200 dpi		
Max Duty cycle	45,000 pages per month		
Recommended Duty Cycle	250 - 2,500 pages per month		
Colours	Black, Cyan, Yellow, Magenta		
For detailed information on p	rinting speeds please visit http://www.epson.eu/testing.		
CONNECTIVITY			
Network Printing Protocols	LPR, FTP, IPP, LPD, Port 9100, WSD, Net BIOS over TCP/IP, WSD-Print, Bonjour/Airprint		
Network Management	HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNTP, SLP, WSD, LLTD, SMTP, POP3, IEEE		
Protocols	802.1X, ARP, GARP, ICMP, IGMP, DCHP, HTTPS, XMPP, LDAP, LDAPS, SNMP 1.0, SNMP		
	2.0c, SNMP 3.0, SNMP Trap		
Network Scanning Protocols	NetBIOS over TCP/IP, Bonjour/Airprint, FTP		
Interfaces	Wireless LAN IEEE 802.11b/g/n, Wi-Fi Direct, USB 1.1 Type A (2x), Hi-Speed USB - compatible		
	with USB 2.0 specification, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T), Near		
	Field Communication (NFC)		
WLAN Security	WEP 64 Bit, WEP 128 Bit, WPA PSK (AES), WPA2 PSK (AES)		
Network Protocols	TCP/IPv4, TCP/IPv6, TCP, HTTP, IPv4, IPv6, IPSEC, SSL/TLS		
PAPER / MEDIA HANDLING			
Paper Formats	C4 (Envelope), Legal, A6, A5, B5, Letter, 9 x 13 cm, 10 x 15 cm, 13 x 18 cm, A4, B6, C5		
	(Envelope), No. 10 (Envelope), User defined, C6 (Envelope), DL (Envelope)		
Compatible Paper Weight	64 g/m² - 256 g/m²		
Duplex	Yes		
Output Tray Capacity	150 Sheets		
Standard paper tray(s)	80-Sheet Multi-Purpose Tray, 250-sheet paper tray		
Optional paper tray(s)	500-Sheet paper tray		
Maximum paper input	830		
Rear paper path (special	Yes		
media)			
Number of paper trays	2		
	-		
PAPER FEED RASF	2105		
Paper Input Name	RASF		
Paper Formats	A4, A5, A6, C4 (Envelope), DL (Envelope), Letter, Postcard, User defined, Legal		
Custom sizes	Min 64x 127 mm to Max 216x 60,000 mm		
Compatible paper weight	64 g/m² - 256 g/m²		
Paper Capacity 1	80 Sheets of Plain Paper, Postcards, Glossy paper, Envelopes, Labels, 80gsm		
Media type	Plain Paper, Recycled Paper, Colour Paper, Letterhead, Glossy Photo Paper		

WorkForce Pro WF-C5290DW

WHAT'S IN THE BOX

- Individual Ink Cartridges
- Power cable
- Driver and utilities (CD)
- Setup guide
- User manual (CD)



PRODUCT SPECIFICATIONS

WorkForce Pro WF-C5290DW

PAPER FEED C1	
Paper Input Name	C1
Paper Formats	A4, A5, A6, Letter
Custom sizes	Min 89x 127 mm to Max 216x 356 mm
Compatible paper weight	64 g/m² - 160 g/m²
Paper Capacity 1	250 Sheets of Plain Paper, Envelopes, 80gsm
Media type	Plain Paper, Recycled Paper, Colour Paper, Letterhead
PAPER FEED C2	
Paper Input Name	C2
Paper Formats	A4, Letter
Custom sizes	Min 100x 148 mm to Max 216x 356 mm
Compatible paper weight	64 g/m² - 160 g/m²
Paper Capacity 1	500 Sheets of Plain Paper, 80gsm
Media type	Plain Paper, Recycled Paper, Colour Paper, Letterhead
PAPER FEED DUPLEX	
Paper Input Name	Duplex
Paper Formats	A4, A5, A6, B5, B6, Letter, HLT, Legal, Executive
Custom sizes	Min 148x 210 mm to Max 216x 297 mm
Compatible paper weight	64 g/m² - 160 g/m²
Media type	Plain Paper, Recycled Paper, Colour Paper, Letterhead
GENERAL	
Energy Use	1.2 W (sleep mode), 22 W (printing), 7 W (Ready), 0.2 W (Power off), ENERGY STAR® qualified
	TEC 0.2 kWh/week
Supply Voltage	AC 100 V - 240 V, 50 Hz - 60 Hz
Product dimensions	425 x 535 x 357 mm (Width x Depth x Height)
Product weight	15.3 kg
Compatible Operating	Citrix XenApp 7.6 and above, Citrix XenDesktop Version 7.6, Linux, Mac OS 10.10.x, Mac OS
Systems	10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Mac OS X, Mac OS X 10.11.x, Mac OS X 10.12, Mac OS
	X 10.12.x, Mac OS X 10.6.8, Microsoft Windows Vista (32/64 bit), SAP, Windows 10, Windows
	7, Windows 7 x64, Windows 8, Windows 8 (32/64 bit), Windows 8.1, Windows Server 2003 R2
	x64, Windows Server 2008 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit),
	Windows Server 2012 R2, Windows Server 2016, Windows Vista, Windows Vista x64, Windows
	VD CD0 as higher Windows VD CD2 Windows VD vC4 Windows server 0000 D0 VD
	XP SP2 or higher, Windows XP SP3, Windows XP x64, Windows server 2003 R2, XP
Included Software	Professional x64 Edition, XP Professional x64 Edition SP2
Included Software	Professional x64 Edition, XP Professional x64 Edition SP2 Epson Document Capture Pro (Windows only)
Sound Power	Professional x64 Edition, XP Professional x64 Edition SP2 Epson Document Capture Pro (Windows only) Operation: 6.8 B (A)
Sound Power Sound Pressure	Professional x64 Edition, XP Professional x64 Edition SP2 Epson Document Capture Pro (Windows only) Operation: 6.8 B (A) Operation: 55 dB (A)
Sound Power Sound Pressure Mobile and Cloud printing	Professional x64 Edition, XP Professional x64 Edition SP2 Epson Document Capture Pro (Windows only) Operation: 6.8 B (A)
Sound Power Sound Pressure Mobile and Cloud printing services	Professional x64 Edition, XP Professional x64 Edition SP2 Epson Document Capture Pro (Windows only) Operation: 6.8 B (A) Operation: 55 dB (A)
Sound Power Sound Pressure Mobile and Cloud printing services Power Supply	Professional x64 Edition, XP Professional x64 Edition SP2 Epson Document Capture Pro (Windows only) Operation: 6.8 B (A) Operation: 55 dB (A) Epson Connect (iPrint, Email Print, Remote Print Driver), Apple AirPrint, Google Cloud Print
Sound Power Sound Pressure Mobile and Cloud printing services	Professional x64 Edition, XP Professional x64 Edition SP2 Epson Document Capture Pro (Windows only) Operation: 6.8 B (A) Operation: 55 dB (A) Epson Connect (iPrint, Email Print, Remote Print Driver), Apple AirPrint, Google Cloud Print 100V, 110V, 220V, 240V
Sound Power Sound Pressure Mobile and Cloud printing services Power Supply ADDITIONAL FEATURES Features	Professional x64 Edition, XP Professional x64 Edition SP2 Epson Document Capture Pro (Windows only) Operation: 6.8 B (A) Operation: 55 dB (A) Epson Connect (iPrint, Email Print, Remote Print Driver), Apple AirPrint, Google Cloud Print 100V, 110V, 220V, 240V Direct Print, Direct print from USB
Sound Power Sound Pressure Mobile and Cloud printing services Power Supply ADDITIONAL FEATURES Features LCD screen	Professional x64 Edition, XP Professional x64 Edition SP2 Epson Document Capture Pro (Windows only) Operation: 6.8 B (A) Operation: 55 dB (A) Epson Connect (iPrint, Email Print, Remote Print Driver), Apple AirPrint, Google Cloud Print 100V, 110V, 220V, 240V Direct Print, Direct print from USB Type: Colour, Diagonal: 6 cm
Sound Power Sound Pressure Mobile and Cloud printing services Power Supply ADDITIONAL FEATURES Features	Professional x64 Edition, XP Professional x64 Edition SP2 Epson Document Capture Pro (Windows only) Operation: 6.8 B (A) Operation: 55 dB (A) Epson Connect (iPrint, Email Print, Remote Print Driver), Apple AirPrint, Google Cloud Print 100V, 110V, 220V, 240V Direct Print, Direct print from USB
Sound Power Sound Pressure Mobile and Cloud printing services Power Supply ADDITIONAL FEATURES Features LCD screen Media Handling	Professional x64 Edition, XP Professional x64 Edition SP2 Epson Document Capture Pro (Windows only) Operation: 6.8 B (A) Operation: 55 dB (A) Epson Connect (iPrint, Email Print, Remote Print Driver), Apple AirPrint, Google Cloud Print 100V, 110V, 220V, 240V Direct Print, Direct print from USB Type: Colour, Diagonal: 6 cm Automatic duplex (A4, plain paper), Portrait & Landscape printing, Thick Media Support
Sound Power Sound Pressure Mobile and Cloud printing services Power Supply ADDITIONAL FEATURES Features LCD screen Media Handling Security Functions	Professional x64 Edition, XP Professional x64 Edition SP2 Epson Document Capture Pro (Windows only) Operation: 6.8 B (A) Operation: 55 dB (A) Epson Connect (iPrint, Email Print, Remote Print Driver), Apple AirPrint, Google Cloud Print 100V, 110V, 220V, 240V Direct Print, Direct print from USB Type: Colour, Diagonal: 6 cm Automatic duplex (A4, plain paper), Portrait & Landscape printing, Thick Media Support Limit access function with Epson Web Config, Secure confidential printing with PIN code
Sound Power Sound Pressure Mobile and Cloud printing services Power Supply ADDITIONAL FEATURES Features LCD screen Media Handling	Professional x64 Edition, XP Professional x64 Edition SP2 Epson Document Capture Pro (Windows only) Operation: 6.8 B (A) Operation: 55 dB (A) Epson Connect (iPrint, Email Print, Remote Print Driver), Apple AirPrint, Google Cloud Print 100V, 110V, 220V, 240V Direct Print, Direct print from USB Type: Colour, Diagonal: 6 cm Automatic duplex (A4, plain paper), Portrait & Landscape printing, Thick Media Support Limit access function with Epson Web Config, Secure confidential printing with PIN code
Sound Power Sound Pressure Mobile and Cloud printing services Power Supply ADDITIONAL FEATURES Features LCD screen Media Handling Security Functions OTHER FEATURES Emulations	Professional x64 Edition, XP Professional x64 Edition SP2 Epson Document Capture Pro (Windows only) Operation: 6.8 B (A) Operation: 55 dB (A) Epson Connect (iPrint, Email Print, Remote Print Driver), Apple AirPrint, Google Cloud Print 100V, 110V, 220V, 240V Direct Print, Direct print from USB Type: Colour, Diagonal: 6 cm Automatic duplex (A4, plain paper), Portrait & Landscape printing, Thick Media Support Limit access function with Epson Web Config, Secure confidential printing with PIN code release, IPsec, IEEE802.1x, SSL (Server authentication), Panel Admin Mode
Sound Power Sound Pressure Mobile and Cloud printing services Power Supply ADDITIONAL FEATURES Features LCD screen Media Handling Security Functions OTHER FEATURES	Professional x64 Edition, XP Professional x64 Edition SP2 Epson Document Capture Pro (Windows only) Operation: 6.8 B (A) Operation: 55 dB (A) Epson Connect (iPrint, Email Print, Remote Print Driver), Apple AirPrint, Google Cloud Print 100V, 110V, 220V, 240V Direct Print, Direct print from USB Type: Colour, Diagonal: 6 cm Automatic duplex (A4, plain paper), Portrait & Landscape printing, Thick Media Support Limit access function with Epson Web Config, Secure confidential printing with PIN code release, IPsec, IEEE802.1x, SSL (Server authentication), Panel Admin Mode



SUPPLIES

 WF-C5xxx Series Ink Cartridge L Black 	C13T944140	3,000 pages
 WF-C5xxx Series Ink Cartridge L Cyan 	C13T944240	3,000 pages
 WF-C5xxx Series Ink Cartridge L Magenta 	C13T944340	3,000 pages
 WF-C5xxx Series Ink Cartridge L Yellow 	C13T944440	3,000 pages
 WF-C5xxx Series Ink Cartridge XL Black 	C13T945140	5,000 pages
 WF-C5xxx Series Ink Cartridge XL Cyan 	C13T945240	5,000 pages
 WF-C5xxx Series Ink Cartridge XL Magenta 	C13T945340	5,000 pages
 WF-C5xxx Series Ink Cartridge XL Yellow 	C13T945440	5,000 pages
 WF-C5xxx/M52xx/M57xx Maintenance Box 	C13T671600	
WF-C5x90 Series Ink Cartridge XXL Black	C13T946140	10,000 pages

OPTIONAL ACCESSORIES

 Optional Cassette Unit WFC52XX/C57XX C12C932871

LOGISTICS INFORMATION

SKU	C11CG05401BY
EAN code	8715946634210
Dimensions Single Carton	538 x 552 x 537 mm
Carton Weight	20 Kg
Pallet Size Euro	16 Units (4 x 4)

1. Comparison made against the top 10 best selling colour laser printers, with a print speed between 1 and 30 pages per minute, in Western Europe and Central and Eastern Europe as defined by IDC in the 12 months up to June 2017. CPP data taken from GAP intelligence report for August 2017 and is an average of pricing seen in DE, FR and UK (with value in Euros as quoted by GAP). Epson values based on RRP of XXL ink packs (5,000 pages yield according to IEEE/ISO 24711/24712). Pricing for competitor models was the lowest CPP available.

WorkForce Pro WF-C5290DW

2. Comparison made against the top 10 best selling colour laser printers in Western Europe and Central and Eastern Europe, with a print speed between 1 and 30 pages per minute, as defined by IDC in the 12 months up to September 2017. Data taken from BLI.

3. Approx. page yield. Actual yield will vary depending on images printed and usage conditions. For more information visit www.epson.eu/pageyield. Comparison made against the top 10 best selling colour laser printers in Western Europe and Central and Eastern Europe, with a print speed between 1 and 30 pages per minute, as defined by IDC in the 12 months up to September 2017. Data taken from BLI.

4. Comparison made against the top 10 best selling colour laser printers in Western Europe and Central and Eastern Europe, with a print speed between 1 and 30 pages per minute, as defined by IDC in the 12 months up to September 2017. Data taken from BLI.

5. Comparison made against the top 10 best selling colour laser printers in Western Europe and Central and Eastern Europe, with a print speed between 1 and 30 pages per minute, as defined by IDC in the 12 months up to June 2017. Data taken from BLI.

EPSON[®]

Better Products for a Better Future

http://eco.epson.com



For more information please contact:

Home users: 0343 90 37766 Business users⁺: 0871 42 37766 Republic of Ireland: 01 436 7742 Or visit us at https://www.epson.co.uk/contactus * 10p per minute plus network extras.

Web: www.epson.co.uk www.epson.ie

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners. Product information is subject to change without prior notice.